


SUS MILL 05



R-PRO

H-PRO

A-PRO

X-PRO

SUS MILL

S-PRO

D-PRO

A-PLUS

AL-PRO

AL MILL

ABS

MICRO
GRAIN


MULTI

Technical data

SM22

서스 밀 코너 래디우스 라핑 엔드밀

SUS Mill Corner Radius Rapping End Mill



S

③④⑤

OD


45°

(Unit: mm)

제품코드 Product Code	직경 DC	날수 ZEP	반경 RE	날장 APMX	유효장 LU	샙크경 DCON	전장 LF
3SM22-030-110	3	3	R0.2	9	11	6	50
3SM22-040-140	4	3	R0.2	11	14	6	50
4SM22-050-180	5	4	R0.2	15	18	6	50
4SM22-060-200	6	4	R0.2	15	20	6	60
4SM22-070-240	7	4	R0.2	19	24	8	70
4SM22-080-250	8	4	R0.2	20	25	8	70
4SM22-090-280	9	4	R0.3	21	28	10	70
4SM22-100-300	10	4	R1.0	23	30	10	75
4SM22-110-340	11	4	R0.3	26	34	12	80
4SM22-120-350	12	4	R0.3	27	35	12	80
5SM22-140-370	14	5	R0.5	29	37	16	90
5SM22-160-400	16	5	R0.5	33	40	16	100
5SM22-160-500	16	5	R0.5	43	50	16	100
5SM22-160-400-R15	16	5	R1.5	33	40	16	100
5SM22-200-460	20	5	R0.5	39	46	20	100
5SM22-200-530	20	5	R0.5	46	53	20	100
5SM22-200-460-R20	20	5	R2.0	39	46	20	100

SM20

서스 밀 코너 래디우스 엔드밀 SUS Mill Corner Radius End Mill



(Unit: mm)

제품코드 Product Code	직경 DC	날수 ZEPF	반경 RE	날장 APMX	생크경 DCON	전장 LF
3SM20-010-025	1	3	R0.1	2.5	6	50
3SM20-015-040	1.5	3	R0.1	4	6	50
3SM20-015-040-R02	1.5	3	R0.2	4	6	50
3SM20-020-060	2	3	R0.1	6	6	50
3SM20-025-070	2.5	3	R0.2	7	6	50
3SM20-030-080	3	3	R0.2	8	6	55
3SM20-040-100	4	3	R0.2	10	6	55
3SM20-040-100-R03	4	3	R0.3	10	6	55
3SM20-040-100-R05	4	3	R0.5	10	6	55
3SM20-050-160	5	3	R0.2	16	6	55
3SM20-060-160	6	3	R0.3	16	6	60
3SM20-060-160-R10	6	3	R1.0	16	6	60
3SM20-080-210	8	3	R0.3	21	8	70
3SM20-080-210-R10	8	3	R1.0	21	8	70
3SM20-100-260	10	3	R0.3	26	10	75
3SM20-100-260-R10	10	3	R1.0	26	10	75
3SM20-100-260-R20	10	3	R2.0	26	10	75
3SM20-100-260-R30	10	3	R3.0	26	10	75
3SM20-120-310	12	3	R0.5	31	12	80
3SM20-120-310-R10	12	3	R1.0	31	12	80
3SM20-120-310-R15	12	3	R1.5	31	12	80
3SM20-120-310-R20	12	3	R2.0	31	12	80
3SM20-120-310-R30	12	3	R3.0	31	12	80
3SM20-120-310-R40	12	3	R4.0	31	12	80
3SM20-140-360	14	3	R0.5	36	14	90

	R-PRO
	H-PRO
	A-PRO
	X-PRO
	SUS MILL
	S-PRO
	D-PRO
	A-PLUS
	AL-PRO
	AL MILL
	ABS
	MICRO GRAIN
	MULTI
	Technical data

(Unit: mm)

제품코드 Product Code	직경 DC	날수 ZEP	반경 RE	날장 APMX	생크경 DCON	전장 LF
3SM20-140-360-R10	14	3	R1.0	36	14	90
3SM20-160-430	16	3	R0.5	43	16	100
3SM20-160-430-R10	16	3	R1.0	43	16	100
3SM20-180-460	18	3	R0.5	46	18	100
3SM20-200-490	20	3	R0.5	49	20	100
3SM20-200-490-R10	20	3	R1.0	49	20	100